# SmartScan Scene Remote

## Infrared scene control for SmartScan luminaires

A lightweight, hand-held infrared remote control for scene control of groups of SmartScan luminaires, using clearly labelled touch buttons.

The SmartScan Scene Remote is supplied with a unique, robust wall-mounting bracket to affix it in an easy-to-find spot, with an optional locking kit for security.


- Tough, impact-resistant polycarbonate body
- Controls groups of SmartScan luminaires
- Touch sensitive buttons, providing ECO (automatic control) and 3 preset scenes (customisable at the luminaire)
- Additional teaching and meeting versions with buttons tailored to room applications
- Supplied with robust wall mounting bracket
- Optional locking kit available for added security
- Powered by 2 CR2032 3 V battery (supplied)




## Compliance

| | | | |
|---|---|---|---|
| UKCA | **Yes** | CE | **Yes** |

## Dimensions



# SmartScan Scene Remote

## Range

| Description | Product version | CAT. No. |
|---|---|---|
| SmartScan Scene Remote | Regular | **LCM14816** |
| | Teaching | **LCM14817** |
| | Meeting | **LCM14818** |

## Accessories

| Product code | Description | Weight |
|---|---|---|
| ECO9724 | Locking key kit | - |





**Click or scan here**

**View SmartScan Scene Remote variants using our online filtering tool**



Information is correct as of 16 Nov 2026, however must not be interpreted as a guarantee of individual product performance and/or characteristics. We reserve the right to alter specifications and designs without prior notice.