Drum

Pendant luminaires with hand-spun reflector and replaceable LED lamp



Evocative of Thorlux Lighting's storied 90-year history, the Drum is a handcrafted pendant luminaire inspired by original 1930s designs.

These vitreous enamelled steel luminaires are available in ivory or British racing green finishes. The pendant luminaire is hand-spun using the same machines and techniques as in the 1930s, creating a luminaire with a classic look and feel. Drum's light source is a replaceable LED lamp, available in a warm 2700 K or a very warm 2200 K.

Applications: reception areas, break-out spaces, retail, and restaurants.

- Choice of Ivory or British Racing Green exterior with white interior
- Spun steel reflectors, hand-formed using original machinery from the 1930's with high quality vitreous enamelled finish
- Original Thorlux branding
- Supplied with E27 brass lampholder
- High quality, low power LED lamp designed to resemble original tungsten filament lamps. Warm (2700K) and very warm (2200K) options.
- UV stabilised PVC supply cable with outer fabric sheath
- 2 m galvanised closed link, solid steel suspension chain

IP20 **Up to 100.8 LL/CW**

Specification

Mounting	**Suspended**	IP rating	**IP20**

Lighting

Lumen output	**630 lm - 806 lm**	Efficacy	**Up to 100.8 LL/CW**

Power

LED power	**8 W**	LED power (multiple)	**No lamp**
Circuit power	**8 W**		

Drum

Construction

Reflector colour	**British racing green reflector with white interior** **Ivory reflector with white interior**


LED characteristics

CRI	**80+**	Colour temperature	**2200 K** **2700 K**
Rated life (hours)	**15 K**	Replaceable light source	**Yes**
Power factor	**>0.85**	MacAdam ellipse	**3 Step**

Compliance

UKCA	**Yes**	CE	**Yes**

Dimensions



Drum

Range

LED power	Colour temperature	Ivory	British racing green
No lamp	-	**HP19293VW**	**HP19293VGN**
8 W	2200 K	**HP19294VW**	**HP19294VGN**
8 W	2700 K	**HP19295VW**	**HP19295VGN**

Drum









Click or scan here
View Drum variants using our online filtering tool



Information is correct as of 03-Nov-2026, however must not be interpreted as a guarantee of individual product performance and/or characteristics. We reserve the right to alter specifications and designs without prior notice.