SmartScan Air Quality Sensor

Indoor air quality sensor

This compact unit is an optional expansion for the Lexi emergency exit sign and provides an accurate analysis of a room's air quality.

The SmartScan Air Quality Sensor's LED indicators provide live status information on temperature, humidity, and carbon dioxide levels. Each day's historical data is automatically uploaded to the password-protected SmartScan website, enabling graphical analysis.

Please note that this unit only works with SmartScan Platform 2.

Applications: offices, healthcare facilities, and schools.

- Polycarbonate body finished white (RAL9016)
- Monitors temperature, humidity and CO_2 throughout the day
- Uploads data to SmartScan website daily (Gateway required)
- Coloured LED indicators show status
- Can be supplied factory-fitted to a LEXI exit sign or stand-alone for installation on a single gang pattress
- (ABC algorithm) Maintenance free in normal environments. Automatic, Baseline, Correction

Notes: Available pre-fitted to a LEXI exit sign. Suffix LEXI catalogue number with AQS e.g. WLX17463AQS



IP40 SMARTSCAN

Specification


IP rating	**IP40**

Compliance

UKCA	**Yes**	CE	**Yes**

SmartScan Air Quality Sensor

Dimensions



SmartScan Air Quality Sensor

Range

Description	CAT. No.
Air Quality Sensor	**AQS19181**







Click or scan here

View SmartScan Air Quality Sensor variants using our online filtering tool



Information is correct as of 02-Nov-2026, however must not be interpreted as a guarantee of individual product performance and/or characteristics. We reserve the right to alter specifications and designs without prior notice.